

Appl. No. 10/519,053
Amendment and/or Response
Reply to Office action of 22 March 2007

Page 1 of 9

**IN THE UNITED STATES
PATENT AND TRADEMARK OFFICE**

Appl. No. : 10/519,053
Applicant(s) : Ramon P. VAN GORKOM
Filed : 22 December 2004
TC/A.U. : 2879
Confirmation : 6802
Examiner : Anthony T. Perry
Atty. Docket : NL-020568

**CERTIFICATE OF MAILING OR
TRANSMISSION**

I certify that this correspondence is being:
[] deposited with the U.S. Postal Service with
sufficient postage as first-class mail in an
envelope addressed to the Commissioner for
Patents, P.O. Box 1450, Alexandria, VA
22313-1450.

[x] transmitted by facsimile to the U.S. Patent
and Trademark Office at (571) 273-8300

On: _____

By: _____

Title: CATHODOLUMINESCENT GAS DISCHARGE
DISPLAY

AMENDMENT and/or RESPONSE under 37 C.F.R. § 1.111

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

In response to the non-final Office action of 22 March 2007, please amend the
above referenced application as follows and reconsider the application in light of the
following remarks.

This paper includes (each beginning on a separate sheet):

- 1. Amendments to the claims;**
- 2. Remarks/Discussion of issues.**

Atty. Docket No. **NL-020568**